

REPORT

Technical Report: (8522)129-0009

Page 1 of 5
MAY 25, 2022





DATE IN: MAY 09, 2022
MOD. LOG IN:
DATE OUT: MAY 25, 2022
REVISED DATE: /
WORKING DAYS: 11
PAGE: 2 OF 5

PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

Sample Description:	WOOD WRITING TABLE AND STOOL														
Manufacturer:	/						P.O. No.:			/					
Buyer:	/						Style:			/					
Country of Origin:	CHINA						Country of Destination:			US					
Color:	/						SKU Number:			/					
Re-test:	Yes:			No:	X		Charge Vendor:			Yes:	X		No:		
Previous Report No.:	/														



EXECUTIVE SUMMARY:

The submitted sample(s) MEET(s) below test requirement: **(PASS)**

Evaluation	Citation / Method	Criteria	Result	Rating
Stool stability	CPSD-HL-03042.01-MTHD	Shall not overbalance when a horizontal 4.5 lb outward pulling force is applied to the base of a 135 lb load, centered 60 mm from the mid point of the front edge of the sample.	M	PASS
Distributed load capacity	CPSD-HL-01030-MTHD	No loss of serviceability when the sample's primary use surface and extendable surfaces are subjected to a distributed load as calculated per sample's primary use surface for 60 minutes. [Dinette / casual / card table] > 4 sq. ft. = 50 lb / sq. ft. < 4 sq. ft. = 40 lb / sq. ft. Glass = 100 lb [Coffee /bar/ console table] > 4 sq. ft. = 40 lb / sq. ft. < 4 sq. ft. = 30 lb / sq. ft. Glass = 50 lb [End table / children's table] > 4 sq. ft. = 15 lb / sq. ft. < 4 sq. ft. = 10 lb / sq. ft. Glass = 50 lb.	M Top size: 23.75inW x 15.875inD Loaded: 105lbs.	PASS
Concentrated top load	CPSD-HL-01031-MTHD	No loss of serviceability when test load is placed on 12 in. loading disc centered 6 in. from edge. Test load based on primary use surface area. [Dinette / casual / card table] > 4 sq. ft. = 300 lb < 4 sq. ft. = 275 lb Glass = 100 lb [Coffee /bar/ console table] > 4 sq. ft. = 200 lb < 4 sq. ft. = 175 lb Glass = 50 lb [End/ children's table] > 4 sq. ft. = 50 lb < 4 sq. ft. = 25 lb Glass = 50 lb.	M	PASS
Tables and desk - stability test	CPSD-HL-01032-MTHD	Shall not exhibit any instances of instability when test load through a 12 in. disc (9 in. loading disc if the sample's length, width or diameter is 12 in. or less) 1 in. from the edge of primary use surface. [Dinette / casual / card table]	M	PASS



		> 4 sq. ft. = 100 lb < 4 sq. ft. = 90 lb Glass = 100 lb [Computer table] > 4 sq. ft. = 125 lb < 4 sq. ft. = NA Glass = 100 lb [Coffee table] > 4 sq. ft. = 75 lb < 4 sq. ft. = 65 lb Glass = 50 lb [End table] > 4 sq. ft. = 50 lb < 4 sq. ft. = 40 lb Glass = 50 lb.		
--	--	---	--	--

REMARK(S):

1. No protocol was enclosed for test results.
2. The tests covered in this report were conducted per client's request.

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.


Technical questions & concerns:

Laura Liu / Peter Wan
(+86)755-32980236 / 32980233
Laura.liu@bureauveritas.com
Peter.wan@bureauveritas.com

General Enquiries:

Nicole Zeng / Tina He
(+86)755- 86135624 / 32980210
Nicole.zeng@bureauveritas.com
Tina.he@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD



BRIAN TAM
MANAGER – HARDLINES DIVISION

END OF REPORT